




PicoBNC+[®] NVH


Quick Start Guide








+  PicoScope 7 Automotive


+  PicoScope 7 Early Access

+  PicoScope Training App: iOS/Android


+  MT03A Milliohm and Motor Tester software 1.0.2

+  PicoLog 6.2.13 (Optional data logging software)

+  PicoScope 7.1.39 (legacy)

+  PicoScope 6.14.69 (legacy)

www.picoauto.com/downloads



PD







PicoDiagnostics

File View Tests Help

Battery Test

Compression Test

Cylinder Balance

NVH

Propshaft Balancing




pico[®]

Technology

PicoScope 4425A opened successfully

Software Version: 1.19.0 (64-bit) ..:

PicoBNC+[®] D0399-1



BNC



Connect a PicoBNC+ device or enter license key



Please either connect a PicoBNC+ accelerometer or microphone, enter the NVH key supplied with your BNC kit, or contact technical support.


If a PicoBNC+ accelerometer or microphone is not connected and a valid license key is not supplied, the software may be used to analyze saved data but not to capture new data.

OK

Cancel




Don't show this message again.



TA573



TA572



TA574



TA573




TA572



United Kingdom global headquarters:

Pico Technology
James House
Colmworth Business Park
St. Neots
Cambridgeshire
PE19 8YP
United Kingdom

 +44 (0) 1480 396 395

 sales@picotech.com

North America regional office:


Pico Technology
320 N Glenwood Blvd
Tyler
TX 75702
United States

 +1 800 591 2796

 sales@picotech.com

Germany regional office and EU Authorised Representative:

Pico Technology GmbH
Emmericher Str. 60
47533 Kleve
Germany

 +49 (0) 5131 907 62 90

 info.de@picotech.com

www.picoauto.com

Copyright © 2026 Pico Technology Ltd. All rights reserved.

